


its fun and easy

to make things at home . . . all you need is one

Minute Magië

DE WALT











and your hands will produce

things expertly for your home



DEWALT® POWER SHOP®

makes it easy to do professional work
the first time...offers "job tested"
flexibility for doing everything
accurately...turns out projects
that satisfy every time.

It's a FACT! DeWalt helps put spare time to practical use . . .

lets you have fun while you fix or make things your family
wants and needs . . . also saves you money as you
do these projects yourself. And . . . your work will be
the talk of the neighborhood.

Copyright 1960 by DeWalt, Inc.

* TH DEWALT INC



to mount any desired cutting tool directly on the motor shaft...and you get another power tool ready for work in less than ONE minute.

- It's a RADIAL POWER SAW. Outmodes any single-purpose swing saw. Does more work, saws at any angle.
- It's a TILT ARBOR SAW. Outmodes every table saw. You move the saw, not the lumber, when you change the cut.
- 3. It's a DADO SAW. Dadoes at any angle on top of the lumber. Layout marks always visible. Never spoils lumber.
- 4. It's a SHAPER. Tilting arbor gives 50% more shapes per cutter. Unlimited shaping work. Exclusive guard.
- It's a DISC SANDER. Tilting arbor offers 100% more angle capacity. Keep disc stationary, or move it for unusual sanding.
- b. It's a HORIZONTAL DRILL. Direct power drive and radial arm lets you bore at any angle for perfect fits in dowel work.
- It's a ROUTER. You lock motor tool in fixed position when using pattern template—or move it to follow layout marks.
- 8. It's a SURFACER. Rotary planer tool fits directly on motor spindle . . . smooths out rough lumber, gets it ready for sanding.

- 9. It's a GRINDER. You can use cup or grinder wheels . . . put keen edge on household cutlery, sharpen hand tools, axes, etc.
- It's a METAL CUTTER. You can accurately cut metals like aluminum, etc. Just mount the proper blade on the motor.
- It's a DRUM SANDER. You can sand inside curves or irregular shapes. DeWalt's versatility makes unusual jobs easy jobs.
- It's a BUFFER-POLISHER. Wire brush cleans rusty metals. A buffing wheel polishes to bring out the beauty of hardwoods.
- 13. It's a 12" LATHE. Belt-driven from DeWalt motor. 4 different turning speeds. Gives you 36" capacity between centers.
- It's a JOINTER. Puts straight edge on lumber up to 2" thick.
 Material moves smoothly on level work table with safety.
- It's a SABER SAW. Does accurate inside or outside curve work. Saw tilts to any angle—works many materials.



This "UL" APPROVED seal on every new DE WALT POWER SHOP means that it meets all safety and electrical standards for use in your home. Also CSA approved for our Canadian neighbors.



The new DE WALT POWER SHOP can be built into your workbench because arm swings out of way when not used . . . it's a practical POWER SHOP wherever you place it.




Exclusive new DE WALT SAFETY KEY SWITCH provides the built-in safety you want . . . means that only you can start the motor. Insist on this extra safe protection for your family



World famous DE WALT "TOP SIDE"
CUTTING action firmly holds the lumber down on the table and against the fence . . . gives you the safest, easiest across-the-board cuts with-



THE DE WALT CUTS DADOES ACROSS THE BOARD IN BOTH DI-RECTIONS, Simply pull or push the dado head across for safer, faster cutting. What's more, you can make WIDE DADO CUTS with a small, low cost dado set this way.



THE DEWALT RIPS LUMBER TWO
(2) WAYS ... from the right or left
because the saw blade swivels
through 360° above the work.
Here's how you rip lumber from the
right side.




the wealth of operating advantages you get FIRST in a new DEWALT Power Shop . . . see how easily and quickly your work is done with DEWALT actionized power






The DEWALT uses 80% LESS WORK-ING AREA to do all operations compared to table saws. Set machine against wall, swing arm as shown and use machine table top for assembling your work.




All new DE WALT operating control knobs, calibrated cutoff, rip, miter and bevel scales are always above and clear of the table . . . no need to stoop nor squint under table when you set-up to do your work.




TAKE YOUR COMPLETE NEW DE WALT POWER SHOP WITH YOU for outside work or into the woods to build your summer cottage. It weighs only 155 pounds and lends itself for portable use where needed.




NEW DE WALT TILTS BEYOND 90° so you can make ANY bevel angle with your work always flat on a level table. You are no longer limited to the usual 45° maximum bevel of outmoded table type units.



Here's the way NEW DE WALT rips lumber from the left side. Only the DE WALT gives you the choice to handle and rip lumber the way most natural for you . . . an extra plus value!



POWERFUL NEW DE WALT BUILT DIRECT DRIVE MOTOR delivers FULL POWER on every cut to turn out smooth, accurate work. There's obsolutely no power lost . . . no belts, no pulleys, no gears, no table inserts to fuss with.



The DE WALT adjusts the saw or cutter to the lumber for all desired cuts ... no need to shift the wood to the saw when you change operations from cross cut to miter to rip, etc. Long boards are easy to handle.



The DE WALT SAVES YOU THE EXTRA COST OF TABLE INSERTS, WORK CLAMPS, STOP RODS, TABLE EXTENSIONS, ETC., because all tools are mounted direct on the motor shaft with ever ready guard to cover. It is designed to save you these EXTRAS

You've seen the name DE WALT on precision woodworking equipment used by lumber yards, cabinet makers, woodworking shops, contractors, jobbing carpenters and others with whom you do business.

These experienced men whose business depends on day after day steady, accurate work will tell you that DE WALT can't be matched for any kind of woodworking, whether you plan to build fine furniture, do needed repairs or tackle major remodeling work.

NOW...you can have this same world famous quality and almost 40 years leadership in the ideal size for use in your home and at amazingly low cost. You'll be years ahead following the lead of experts using DE WALT... everywhere known and accepted as the ONE really safe, accurate, easy-to-use machine. It's so designed that, working with it, even the inexperienced can expertly do everything in woodworking.

It's important to you to carefully compare EVERYTHING MECHANICAL you get in the power tools but . . . more important . . . look at the operating advantages, the actual working area required, the advanced styling for anticipated needs and the dozens of things you may discover lacking after you take it home.

DE WALT is the world's most wanted power tool. What you sense in this DeWalt when you handle it is strength and solidity. It has a fine tool feeling. You'll soon appreciate its wonderful versatility . . . how quickly you can change the cutting tool on the motor spindle and have another power tool at no extra cost. It does the work, saves the cost and space of a shopful of machines.

Look for the following features in every power tool . . . and your final choice WILL be the new DE WALT POW-ER SHOP because it is the long range investment that gives you the most for your money!




EVERY NEW DE WALT IS FACTORY TESTED UNDER POWER BEFORE SHIPMENT so that it is in perfect working condition when you get it. Expert DE WALT workers take real pride in building the precision tool you want . . . all you do is PLUG IN and go to work.





RIGHT-HAND MITER CUT. Simply set the arm at the desired angle and the problem of picture frames, boxes, etc., is solved! One motion does it!



BEVEL MITER. Combining the two operations of mitering and beveling is a simple matter. Set the arm, angle the saw, and move the saw across your work!




BEYEL CROSS-CUT. By tilting the saw to the precise, desired angle, your DE WALT makes this difficult cut in a single pass!




GROOVING, With material flat on the table and fed against fence, you have complete control over your work —and the result is perfect grooving!



LEFT-HAND MITER. By turning saw 180° to opposite side, difficult left-hand miters are accomplished in the middle of the work table—easily, perfectly.




RIP CUT. It's a snap to set your saw for ripping to desired width. No need for pencil marks—because your DE WALT measures for you instantly!




BEVEL-RIP. Involved in making modern-type drawer pulls, chamfer strips, and cylindrical pattern work.



RAISED PANELS. An easy way to make expensive mill-work for your panelled walls, cabinet doors, and special drawer fronts!




CONTOUR CUTTING. Simply tilt and swivel the motor to use saw kerf for the contour you want the full length of the board.




SHADOW BOX CUT. Set arm at 30° R.H. miter, tilt saw 35° PLUS on bevel... then duplicate cuts for each end, positioning stock as needed.




DIAMOND SHAPES. After bevel ripping stock into "V" strips, set motor at 45° R.H. miter and 45° bevel. Makes beautiful decorative patterns.




WIDE-PANEL RIPPING. The new DE WALT Power Shop rips to the center of large, standard 4 ft. wide plywood sheets. All this and accuracy, tool




CURVING WOOD. Lower saw within $\frac{1}{8}$ " bottom of stock and cut across, keeping saw kerfs about $\frac{1}{4}$ " apart at point where curve is desired.




SAUCER CUT. Clamp stock to table, arc swing and lower saw blade until desired depth is reached. Makes intricate decorative patterns easily.



CUTS ALUMINUM. Put metal cutting blade on motor. Cuts non-ferrous tubes, extrusions, and other types of light metals.



LOCK JOINT CUT. Set motor in vertical position. Place two pieces of wood on edge on special jig feature. Slit edges by alternately raising and cut post stock.



New DE WALT gives you unmatched versatility for

In mounting dado head on arbor, make sure inside cutters are spaced alternately as shown. This provides clearance for cutting teeth and assures smooth, true dado cut.

operations

action saves you money because you can't make errors and have no work spoilage when you dado. You see the layout marks . . . you actually see your cut because the dado head cuts across on top of the material instead of underneath.


The elevating handle on top of the arm gives you precision depth control. You know beforehand that each full turn lowers the dado head exactly 1/8 inchinto the stock.

No ruler is necessary . . . the cuts are uniform depth the full length of the cutting stroke, guaranteed by the rigid arm that is always parallel to the work table.

Overhead dadoing on new DE WALT will delight you . . . no peering nor squinting underneath the stock to check your cut. Since you can dado both ways . . . back and forth . . . any width dado can be made with a small, low cost dado head set. This also saves you money in tools!



BEVEL RABBET-CUT. Simply tilt the motor and you can make any desired angle cut in your rabbeting operation.




RABBET-CUT. By taking advantage of the dado diameter, you can make wide-width rabbet cuts with amazing ease and speed!



BEVEL PLOUGH. The perfect way to make "V" cuts to any depth. Your rip-scale measures for you when making a number of these cuts.



RADIUS CUTTING. Tilt dado, and push work through as in ripping—and you get a fine concave cut full length of the board.



PLOUGHING. Cutting a set depth and width, full length of stock with great accuracy is a big feature on the DE WALT Power Shop!



ANGLE DADO. A special cut which finds many uses, accomplished similar to mitering with saw!




CENTER PLOUGHING. This cut is made by lowering dado into your material and raising it at the end of cut.



BLIND MORTISING. A fast and effective way to make a groove into which a tenon can be fitted and locked.




FLUTING. Simply a series of parallel "Y" grooves, for decoration. Used to simulate pillars or columns in cupboards or fireplace mantels.



DOUBLE TENONING. A spacer collar, used in dado head, allows you to make single or double tenons with one pass across the end of your




GROOVING. Dado Head gives you extra-wide groove cuts, eliminating a number of passes when made with saw blade alone.



CUT OFF AND DADO. Saw blade and dado head combine to give you this unusually fast, accurate job in a single operation.



PARALLEL LEFT HAND DADO. Swivel the motor 180°, swing arm to desired angle. Mark your guide fence and make successive cuts the exact distance apart.




SCALLOPING. Feed the stock against the dado as shown and put unusual scallop design on your window valances.



TONGUE AND GROOVE. Make your own flooring, wood, panels, etc., simply by using dado inserts with collars to exact dimension needed.



PANEL SINKING. Lower the dado $\frac{1}{2}$ 8 inch and make cuts illustrated by pushing stock.



CABINET DOOR LIP CUT. Make the full bead and rabbet cut in a single smooth operation instead of the usual, two separate cuts. This is a DE WALT ORIGINAL operation.

TILTING ARBOR SHAPER. Push the shaper cutter in or out . . . raise or lower . . . or tilt to any angle and you quickly multiply the number of different shapes from a single cutter.

SHAPER/MOULDER. Makes decorative patterns on the edge, side or above the material simply by adjusting new DE WALT cutter head where desired. Note the safety guard covering.


SIZING AND JOINTING. Put guide fence at front of regular table, po sition the cutter for width desired Every board that passes through i perfectly sized and jointed.




PRECISION CHAMFER CUT. Use straight edge cutter knives in the moulding head and then tilt the motor to get the right bevel angle. Push the stock past the cutter for clean, smooth chamfer cuts.



MAKING STAIR TREADS. A full sized nosing cutter puts the half-round shape along the edge of the stair tread . . . a highly important millwork operation done at home.



IRREGULAR SHAPING. Made easy with the use of a shaper ring to guide the stock, Remove the guide fence and work the irregular stock past the cutter for moulding.




DROP-LEAF SHAPE. Make bot mouldings for drop-leaf top on to bles, buffets, servers and other fur niture. Change the shaper head o the motor spindle, set up for the cuyou want and do it fast and easy

PERFECT FIT JOINTS ARE EASY TO MAKE



Glue Joint



Tongue and Groove



Drop Leaf



Bevel Joint

all kinds of decorative and special shapes




Baseboard



Quarter Round



Panel Raising




Like other cutters, simply thread disc sander on DeWalt spindle . . . tighten . . . cover with tool guard. You are set for sanding in any position.

Like the other circular tools, a disc sander is quickly mounted directly on the new DE WALT motor shaft . . . and you have, at your disposal, a highly efficient disc sander that is unmatched for "finishing-touch" operations.

You can lock it parallel to the guide and push the stock. Or, you can tilt the disc sander 45° or beyond and sand while the stock lies stationary on the level table or fixture. There's no limit to the number of its uses.



STRAIGHT EDGE SANDING. Set disc sander parallel and along the guide fence. Push stock past for straight edge work.



BEVEL SANDING. Put disc sander into bevel position and pull across the stock setting on a fixture . . . the only sander that does this.




MITER SANDING. Set materia on special table. Swing arm to desired miter angle. Pull sander disc across stock for smooth, per-



BUTT SANDING. Made easy across the end of the stock or at any miter, bevel or double angle desired.



SURFACE SANDING. Tilted 90° and parallel to table, irregular rough stock can be given fine, smooth finish. Use Tool Guard.



DOUBLE MITER SANDING. Swing arm to desired angle. You are all set for compound sanding work. Pull disc across precul stock.




Here is the PLUS VALUE you'll like in your new DE WALT POWER SHOP because you get drilling operations unequalled by any drill press. These horizontal drill holes are very important jobs for you because the use of round dowel stock is necessary to hold pieces together . . . a must in every woodworking shop.


Again the amazing versatility of new DE WALT brings you operations like these . . . that give your finished article the professional touch you want.



DRILLING the stock for the dowel to hold corners for doors, windows and countless other jobs.



EDGE DRILLING the side of table tops, etc., so that you get perfect fit with use of round dowel pins.



MITER DRILLING your picture frame ends helps give you a stronger holding action with




HORIZONTAL DRILLING into the board to receive dowel stock or for decorative effects.



PARALLEL DRILLING is made easy because you can raise or lower the drill to cut into any part of stack.



RADIUS DRILLING into the stock at any desired angle, either from the right or left side.







this exclusive new DEWALT attachment is job-tested . . . saves you the cost and space of a separate

handles lumber up to 2" thick

The most important job for every jointer is to put a straight edge on a board. This item puts a straight edge on lumber up to 2" thick. In-feed fence is adjustable for depth of cut desired, back fence rigidly locked. Use it for rabbeting and other jointer jobs. Stock always lies flat on level table, moves past cutters. Safe, easy-to-use. Buy Part No. 9200 Fence, No. 119826 Guard and No. 3472 Cutter Head.






CURVE WORK!

new DEWALT becomes a saher saw that will do most of the work . . . save you the cost and space of a separate jig saw or band saw

Lightweight, compact, easy to set up. Operates direct from motor, means no power loss. Makes smooth, true cut with minimum vibration on all types of intricate scroll and curves . . . either square or bevelled . . . in wood, plastic and light metal.




Does Inside Curve Work



Does Outside Curve Work



Does Angle Curve Work



new DE WALT gives you . . . simply by changing the tool on the motor spindle

Every day we receive letters from new DE WALT owners enthusiastically describing a special job they are doing on their POWER SHOP . . . jobs even we, with our 38 years experience, are just hearing about because users have solved a particular problem hitherto impossible on ordinary tools. The more you use your new DE WALT POWER SHOP, the more uses you will find for it . . . the number of its operations are limited only by your own ingenuity.



IT'S A ROUTER. You rout with real precision when you own the DE.WALT Power Shop. Because motor travels in arm, free of play, you can be sure of perfect cuts.



IT'S A GRINDER. A very necessary, quick-change tool for sharpening household cutlery and your own woodworking chisels, and lathe chisels



IT'S A DRUM SANDER. Sanding inside curves or irregular shapes is an easy job for the new DEWALT. You get a highly effective finishing job this way.



IT'S A SURFACER. By using the revolutionary new rotary planer, your DE WALT Power Shop can quickly cut boards down in thick-



IT'S A LATHE, Quickly mounted in working position on table. Power driven by DeWalt motor or can be used as separate bench lathe. Capacity 36" be-



IT'S A BUFFER. A handy buffing wheel on the motor shaft shines up all kinds of articles, brings out the natural, beautiful glow in hardwood picture frames. 13

SEE WHY DEWALT IS First-In-Extra-Value



SWIVEL YOKE 360° FOR RIP CUTS

positions. BE SURE TO SEE how DeWalt STEEL PIN fits into STEEL INSERTS, not into soft aluminum casting that wears. ONLY DeWalt offers this EXCLUSIVE STEEL-INTO-STEEL DESIGN for life-time accuracy.

IST IN EXTRA EASY OPERATION



DUAL POINTER RIP SCALE sets up saw for correct ''in'' and ''out'' ripping with one setting.



EXCLUSIVE CUT-OFF SCALE Scale right on guide fence, calibrated in 1/8", speeds duplicate cuts without duplicate cu marking stock.



EYE-LEVEL MITER SCALE This easy-to-use scale helps you set up faster for all miter cuts, right or left



NEW SAFETY KEY SWITCH Exclusive "Cam-Type" Switch works in any direction, removes only when power is "off".



PRECISION BEVEL SCALE EXTRA BIG CAPACITY 9" Now located up-front on yoke, helps you quickly set saw for any bevel operation.




saw makes BIG 21/2" DEEP cut, others use 10" saw to do this. Rips 24" wide.

EASY TO WORK WITH AND ENJOY . . . DeWalt helps make woodworking so simple that even the inexperienced can do expert work from the start. Try it out yourself! See why DeWalt "top-side" cutting is safest, surest cutting. You move the saw, not the lumber, when you change saw cuts. Lumber always moves straight on table. Layout marks are always visible on "top" of stock, means you don't spoil expensive lumber ever. All job set-ups are made safely, easily and quickly ABOVE the work table. Every move will prove you can do perfect work everytime . . . any time with DeWalt.

since

often imitated but never equalled in quality and performance.





you get only in DeWalt.

WITH BUILT-IN

MOTOR BRAKE













Feel how smoothly grease-shielded ball bearing roller head rides IN-SIDE THE ARM on precision machined tracks. Absorbs thrust loads from all directions, protected at all times from dust and dirt. Easily removes, if needed. ONLY DeWalt offers THIS PROTECTED roller design.



Release arm clamp, lift latch, then swing the arm into any right or left hand miter position. Exclusive Wedge-Lok Miter Locator stops at 0 and 45° angles. Miter scale is at eye level. BE SURE TO TEST how EXCLUSIVE DeWalt 360° PERMA-LOK arm clamp rigidly holds arm with non-give brake band action. ONLY DeWalt has it!






TILT SAW 360° FOR BEVEL CUTS

Pull out clamp and steel locating pin. Steel pin automatically locates at 0, 45 and 90°, 360° PERMA-LOK action holds bevel position rigidly. Perfect 3-POINT cutting plane design eliminates "heel" in saw bevel cuts. ONLY DeWalt offers this EXCLUSIVE 3-POINT "BEVEL HEEL" ADJUSTMENT to keep saw accurate at any angle.



Each full turn of this elevating handle raises or lowers the arm exactly V_8 inch... one half turn gives you V_6 inch... actually predetermines depth of cut. This is precision depth control at its finest, enabling you to preset for any operation you may do. Especially important for close fitting cabinet and millwork jobs.



YES! DEWALT always gives you the most important firsts!


You get ALL the REAL VALUE you've saved and waited for . . . exclusive features never before offered anywhere . . . new worksaving advantages that guarantee you the SAFETY, ACCURACY and LIFE-TIME SATISFACTION you expect. Only DeWalt gives you ALL this and more.

DeWalt is the Original and Genuine POWER SHOP machine. The men who build it are specialists in making this ONE product. Nothing is left out . . . these DeWalt experts make sure you get the very best. This adds up to EXTRA BENEFITS you will always enjoy with DeWalt.

Every DeWalt is actually "work tested" under power at the factory before shipment. Only DeWalt does this precision pre-shipment testing so that it is delivered to you in perfect working condition. It is neatly packaged. Step-by-step instructions show you how to set up quickly. DeWalt is EASY TO OWN. You'll be surprised at the LOW PRICE for VALUE DELIVERED . . . at how easy your DeWalt dealer makes it for you to buy a new, versatile DeWalt Power Shop now. See him today!

ONE DeWalt DOES the WORK, SAVES the SPACE and COST of a shopful of different power tools.





16

This all-new 925 model has been especially designed for your home workshop with the PLUS features and life-time accurate performance professionals insist on. It's precision built by the most expert, efficient manufacturing

methods known and cut tested for accuracy before shipment.

Compact, smartly styled and engineered with an eye to your future needs, this DeWalt doesn't outmode itself. Rugged, to serve you better under hard usage. It is the finest power tool that can be made for the money . . . at the lowest possible price to you.

BIG CAPACITY! Cuts $2\frac{1}{2}$ " deep with 9" saw, cross cuts 15" wide on 1" stock and rips to center of 48" wide panels. The powerful, custom-built DeWalt motor delivers over 2 horsepower at the cutting spindles and runs off your 110 volts house line. It can be connected for 220 volts, also.

It is completely equipped . . . ready for work when you get it. You'll be proud to own this 9" model . . . the finest and most useful home power tool ever built, the DeWalt you want for your workshop.

SPECIFICATIONS

925H Steel base, 18" x 21 1/2". Full size Lebanex table top, 26" x 32", includes drop-leaf table board upfront. Column is 2 1/2" diameter and electroplated to prevent rust. Easily visible scales for cut-off, miter, rip and bevel. Uniform cantilever arm rotates 360° horizontally, locks at any miter angle. Latches provide for quick setting at 0, 45° and 90° positions. Four (4) grease-packed, shielded ball bearing roller head rides inside arm, protected from dust and dirt. Yoke swivels 360° horizontally, quickly set for right or left hand ripping, has steel inserts at each 90° position. Includes 9" diameter saw blade, safety guard and kickback device. DeWalt-built totally enclosed direct drive fan cooled motor includes built-in motor brake. Motor has 5/8" dia. saw arbor shaft and back end arbor is threaded for right hand tool adaptors. "Cam-Type" Safety Key Switch included. Net weight 155 lbs.

	Max. Depth Cut—21/2"		Cross Cut 15" x 1"	Rips	24"	Wi
Model	Saw		Motor 3425 R. P. M.			
925H	9"	120/240 V	Volts, 1 Phase, 60 Cycles,	10/5 A	mps.	. A.

50 Cycles A.C. Motors available.

THESE FEATURES ARE STANDARD O



Motor is totally enclosed,

Cut-Off Scale on fe

Here's our extra special design for

small builders, shop owners, and schools . . . the new, streamlined 10" saw with 50% more power than ever before. The ideal size for safe, accurate, professional use.

It's powered by the newly-designed, totally-enclosed DeWalt-built motor that delivers 3 horsepower at the cutting spindle. It has the "guts" to give you continuous day after day steady, dependable performance. The single phase motor will operate on either 120 or 240 volts. Also available in 3 phase

EXTRA PLUS CAPACITY! Standard 10" saw cuts 3" deep, cross cuts 16" wide on 1" stock and rips to center of 52" wide panels. If 4" deep cut-off is ever needed, a special 12" safety guard is available for 12" saw blade. This is the finest value for your business . . .

Buy yours Today!

SPECIFICATIONS

1030 Steel base, 26" x 34" includes four (4) steel legs, full size 21" x 36" wood table top. Column is 3 %" diameter and electroplated to prevent rust. Easily visible scales for cut-off, miter, rip and bevel. Uniform cantilever arm rotates 360° horizontally, locks at any miter angle. Latches provide for quick setting at 0, 45° and 90° positions. Four (4) grease-packed, shielded ball bearing roller head rides inside arm, protected from dust and dirt. Yoke swivels 360° horizontally, quickly sets for right or left hand ripping, has steel inserts at each 90° position. Includes 10" diameter saw blade, safety guard and kickback device. DeWalt-built totally enclosed direct drive fan-cooled motor includes built-in motor brake. Motor has 5%" dia, saw arbor shaft and back-end arbor is threaded for right hand tool adaptors. "Cam-Type" Safety Key Switch included. Net weight 235 lbs.

Cuts 3" Deep		Cross Cuts 16" x 1" Rips 25" Wide			
odel	Saw	Motor 3425 R.P.M.			
30K 30J	10"	120/240 Volts, 1 Phase, 60 Cycles, A.C.			
301	10"	208/240 Volts, 3 Phase, 60 Cycles, A.C.			
301	10"	440/480 Volts, 3 Phase, 60 Cycles, A.C.			

50 Cycles A.C. Motors available.

ODELS 925H AND 1030



BUY IT NOW!

ing new profits!

. . and start mak-



Prop-leaf safety table available (optional extra.)

COST TOOLS that help you do more with a DE WALT

ABRASIVE, GRINDING AND BUFFING WHEELS				
	part no.			
	69	Cut-Off Wheels, %" bore For cutting Ceramics—8" dia. x 3/32" thick For cutting Steel —8" dia. x 3/32" thick		
(3)	352	Cup Wheels, %" bore 3½" dia. x 2" wide, medium grit 3½" dia. x 2" wide, fine grit		
	402 403	Grinding Wheels, 5%" bore 6" dia. x 1/2" thick 4" dia. x 3/4" thick		
	427 428	Buffing Wheels, 5%" bore 6" dia. Cloth Buffers 6" dia. Wire Brush		
	429	Polishing & Buffing set, cloth wheel & (4) Bars, Compound.		
	430	Buffing Compounds (Set 4)		
2	201303	Guard kit for grinding, buffing, and wire wheels.		
ADAPTORS, E	ORING B	ITS AND ROUTER BITS		
	†201261	Adapter, $\%$ 6" R.H. female thread for $\%$ 4" straight shank bits. 925 and 1030.		
	†201262	Adapter, γ_6 R.H. female thread for γ_2 R.H. 20 thread tools. 925 and 1030.		
9	2107	Adapter, 5½" L.H. thread and ½" hole for ½" straight shank bits. MB and GW.		
C	2110	Adapter, same as 2107, except has 1/4" hole for 1/4" straight shank bits. MB and GW.		
	201266 201268	Boring Bits— 1/4" straight shank, R.H., for use with #201261 Adapter. 925 and 1030. 1/4" Boring Bit (R.H.) spiral type 3/4" Boring Bit (R.H.)		
	201269 201270 201271	1/2" Boring Bit (R.H.) %" Boring Bit (R.H.) 34" Boring Bit (R.H.) 76" Boring Bit (R.H.)		
	201272 201273 3570	1" Boring Bit (R.H.) Boring Bit Set, includes #201261		
	8042	adapter and all six bits shown above (Nos. 201268 through 201273. Boring Bit Set, includes No. 2110		
		adapter and six bits (Nos. 767, 768, 769, 770, 771, 772). MB and GW. % " Boring bit, L.H. 1/4" shank		
	767 768 769	% Boring bit, L.H. ¼" shank %" Boring bit, L.H. ¼" shank		
	770 771 772	34" Boring bit, L.H. 14" shank 18" Boring bit, L.H. 14" shank 1" Boring bit, L.H. 14" shank 14" Boring bit, L.H. 14" shank, spiral		
	773	Router Bits, for use with #201261		
a N	201263 201264	adapter. Special R.H. ¼" shank. ¾" Router Bit (R.H.) ½" Router Bit (R.H.)		
A do	201265 3808	1/2" Dovetail Bit (R.H.) 3%" Router bit, L.H., use with Adapter		
	3809	No. 2110 1/2" Router bit, L.H., use with Adapter No. 2110		
18	2010	1/ " Dovotail router hit H use with		

DADO HEADS, SPACING COLLARS, ROTARY PLANER



Dado Heads, 5/8" arbor hole (Flat Ground Set teeth). 6" dia. x 13/16" wide, Dado Set 8" dia, x 13/16" wide, Dado Set

6024 6025 6001

6028

Dado Heads, 5/8" bore (Hollow Ground 6" dia. x 13/16" wide, Dado Set #3

8" dia. x 13/16" wide, Dado Set #3 Spacing Collars, 3/8" arbor hole



2432 1/16" thick, Spacing Collar 1/8" thick, Spacing Collar 1/4" thick, Spacing Collar 2433 2434 2435 3/8" thick, Spacing Collar 1/2" thick, Spacing Collar 2437



6380 Rotary Planer (includes knives and wrench).

Set, two (2) knives for #6380.

SANDERS, DISC AND DRUM TYPE

6383

7470

467



Disc Sanders, 5/8" L.H. 18 thread hole. 8" dia, Sander Disc Set (includes bevel edge disc, one each 8" dia. disc sand paper Nos. 50 - 60 - 80 grit).

6 assorted 8" disc sand paper (1 - #50, 2 - #60, 3 - #80 grits).

Disc Sand Paper, 8" diameter



464 No. 80 grit sand paper No. 60 grit sand paper No. 50 grit sand paper



7468

Drum Sanders. no adapter necessary. dia. Drum Sander, 3" long, 7/16" R.H. thread, 925 and 1030 $2\frac{1}{2}$ " dia., 3" long, drum sander, $\frac{5}{8}$ " L.H. thread. MB and GW 1" Drum Sander, 3" long, 716" R.H.



201274 7473

980

thread. 1" Drum Sander, 3" long, 5/8" L.H thread. MB and GW

SAW BLADES (All 5%" arbor holes, 3600 r. p. m.)



Flat Ground, Set Tooth Type 9" dia. Combination Saw (Novelty tooth) 10" dia. Combination Saw (Novelty tooth)

12" dia, Combination Saw (Novelty tooth) 992 1402 9" dia. Rip Saw

10" dia. Rip Saw 1420



9" dia. Hard Tip, Combination Saw 990 10" dia. Hard Tip, Combination Saw 991

> Hollow Ground Type (4 cutting teeth and 1 raker) 8" Miter Saw

1265 9" Miter Saw 1252 10" Miter Saw 1264



Carbide Tipped Saw Blade (8 teeth) 988 9" dia. Combination Saw 10" dia. Combination Saw 989



9" Non-ferrous saw blade for aluminum, 10" Hicroloy aluminum cutting blade

7" dia. fine-tooth plywood saw blade

7" dia. "Thin-Rim" cabinet saw blade 8" "Thin Rim" Combination Blade 8" "Thin Rim" Plywood Blade 995

SHAPER HEADS, JOIN	NTER HE	ADS, CUTTERS AND KNIVES
	part 110.	1495 Tool Guard or lars 1
	9200	Shaper Jointer Fence
	3472	Jointer Cutter Head, solid 4-wing, includes special %" L.H. thread arbor nut. 2" dia. x 2" long Jointer Cutter
101 102 103 104 103 106 107 108 109	101 102 103 104 105 106 107 108 109 110 111 112 113 114 115	Solid Shaper Cutters, 2-wing, 1/8" arbor hole Tongue Cutter Groove Cutter O.G. Cutter for casings Combination Cutter Baseboard Cutter Panel Cutter Straight Cutter Universal Bead Cutter Drop Leaf Table Cutter O.G. Cutter Cupboard Door Cutter Sash, Rabbet Cutter 1/6" Bead, 1/6" Cove Cutter 1/4" x 3/4" Quarter Round Cutter Glue Joint Cutter
	6458 6460	Safety Cutter Head, 3 knife, 1/8" arbor hole 4" dia. Safety Cutter Head Safety Cutter Head Set, includes No. 6458 head, and 6 sets of knives Nos. 3092, 3094, 3095, 3099, 3100 and 3101 inclusive.
3092 3094 3095 3099 3100 3101 3102 3103 3104	3092 3094 3095 3099 3100 3101 3102 3103 3104 3105	Safety Cutter Head Knives (set of 3) O.G. Moulding (#26) %" Quarter Round %" Bead and %" Cove (#29) Straight Knives Glue Joint Cupboard Door (%" radius, 7° rake) Drop Leaf Table Joint, ½" Cove Drop Leaf Table Joint, ½" Quarter Round Groove, ¼" Tongue, ¼"
	3106	Guide Collar, for irregular shaping, used with #6458 Cutter Head. 4" dia. Collar, 1/2" arbor hole.
	6480 6479	2-Knife Shaper Head 2-Knife Shaper Head, 5" long x 1½" wide x ½" thick, ½" arbor hole. 2-Knife Shaper Cutter Head Set, includes #6480 head and 6 sets of Knives, Nos. 3073, 3076, 6463, 6469, 6477 and 6478 inclusive.

6472	6470	3079	3076	3073	3070	3067	
6478	6473 644	69 6463	3077	3074	3071	3068	
	6471	6477	3078	3075	3072	3069	
6481	6482	6483	6484		6485	6486	

	Knives for 6480 Shaper Head							
pari	14"-34" thick, high speed steel, with one hole	KNIFE						
no.	and held in head by 1/4" dia. fillister head socket screws.	Shape No.	Thick- ness	Length				
3067	3/8" Quarter Round Knives	20	1/4"	1"				
3068	3/4" Bead and 3/4" Cove Knives	21	1/4"	1"				
3069	3/16" Cove and 3/16" Bead Knives	22	1/4"	1"				
3070	Nosing Cutter, 7/6" Nose Knives	23	1/4"	1"				
3071	Nosing Cutter 3/8" Nose Knives	24	1/4"	1"				
3072	Nosing Cutter 15%6" Nose Knives	25	1/4"	11/4"				
3073	O.G. Moulding 1/16" Bead and Cove Knives							
	(combined)	26	1/4"	1"				
3074	Nosing Cutter 1 ¼" Nose Knives	27	3/8"	11/2"				
3075	5/8" Quarter Round Knives	28	1/4"	1"				
3076	3/4" Bead and 3/4" Cove Knives	29	1/4"	1"				
3077	5/16" Cove and 5/16" Bead Knives	30	1/4"	1"				
3078	Fluting Cutter 5/16" Knives	31	1/4"	1"				
3079	Fluting Cutter 1/6" Knives	32	1/4"	1"				
6463	3/4" Quarter Round Knives, Series No. 8065		1/4"	1"				
6469	Glue Joint Knives		1/4"	1"				
6470	Drop Leaf Table, combination Knives		3/8"	11/2"				
6471	Tongue and Groove 1" Flooring Combination							
	Knives		%″	11/2"				
6472	Miter Lock Joint Combination Knives		%"	11/4"				
6473	Panel Raising Knives		%″	11/4"				
6478	Cupboard Door Lip Knives, 3/8" radius,		1/#	1"				
	7° rake		1/4"					
6477	2" Jointing, surfacing and panel raising		¼ "	2"				
	Knives			200000000000000000000000000000000000000				
6481	Sticking Mould Shape knives		1/4"	1"				
6482	Cope-long Tenon knives		1/4"	1"				
6483	Screen Mold knives		14"	1"				
6484	Sticking knives for 1 3/8" stock		¼ "	11/2"				
6485	Full cope knives for 1 1/8" stock	100000	1/4"	11/2"				

6486 Cope-long Tenon knives..... NOTE: %" thick knives listed above are grooved ¼" thickness to fit No. 6480 Shaper Head. These knives also available in carbide tipped type on special order.

ACCESSORIES

SPLITTER type Kick-Device



203124—Splitter and kb for 9" guard 117917—Splitter and kb for 10" guard 117918—Splitter and kb for 12" guard



201297-Drop-leaf table extension . . . Model GW & 1030

30304501 - Drop-leaf table extension . . . Model 925E

201391-Saf-T-Bak Return Device. Models MB, GW, 925 & 1030



Steel Cabinet for Models 925 and MB 9300-Steel cabinet for models 925 and MB 9325-Pull-out drawer for above.



Steel Legs with Wheels 9333-Legs and adjustable casters 925 and MB



117926-12" Safety Guard for GW and 1030



Automatic Safety Guards include "Free-Floating" Safety Rings, Dust Elbow and Kick-Back Device.

117919-10" Automatic Safety Guard for GW and 1030

117920—12" Automatic Safety Guard for GW and 1030

100838-Conversion Kit, including 2 rings and side plates for 9" guard 925 and MB

117808-Conversion Kit, including 2 rings and side plates for 10" guard 1030 and GW

117809-Conversion Kit, including 2 rings and side plates for 12" guard 1030 and GW

DE WALT "POWER SHOP" ATTACHMENTS

Saber Saw Attachment

201327-Saber Saw Attachment Complete, with 3 assorted blades



8026—15 teeth per inch. 8027—20 teeth per inch

8028-Set of 8024,




8024- 7 teeth per inch 8025-10 teeth per inch

Lathe Attachment

9040—12" Lathe Attachment Complete has 36" length capacity. Quickly mounted in working position. Driven by DeWalt "Power Shop" Motor or usable as separate bench lathe.

9007 - 33/4" dia. Face Plate Adapter 8006—Wood Turning Chisels, set of six (6)







New custom design **DeWalt Power Shop**

Saves 80% Floor Space

2 uses in 1 space. DeWalt's arm swings against wall, clears work table for other purposes. Uses 80 % less operating space than ordinary table saws.

This FREE PLAN to every DE WALT purchaser shows you how to build the PER-FECT HOME for your machine. It's complete with material list and hardware. Exploded views show exactly how to put it together quickly. Also, it includes catalog list of all tools, accessories and attachments for your DE WALT POWER SHOP.

ask for FREE demonstration . . . TODAY! don't be switched! make sure you test them all

DeWalt invented radial saws . . . makes only radial saws . . . always gives you the best buy for your money. Franchised DeWalt dealers have a combined display and demonstration area in their store. Ask them for a complete DeWalt demonstration . . . compare DeWalt with the "me too" others. Test try it yourself . . , you'll be convinced DeWalt is first in extra value in every way.



select the tools you need from this complete **DeWalt display**

Most DeWalt dealers have this rotating, self-service tool display which let's you pick out the DeWalt brand tool you need for that special job! If your dealer is temporarily out of stock, ask him to order it for you.

Accessories exclusively designed and engineered for the DeWalt Power Shop.

Insist on these DeWalt-brand tools for quality and life-time satisfaction.





Get No. 119826 guard for shaping, jointing and other



This No. 9200 jointer attachment handles work up to 2".



All-new No. 201327 Saber Saw does your curve work.



Light up work area with No. 8040 light fixture.




No. 100838 Auto-Float attachment for 9" saw guard, No. 117808 for 10" guard.



This new No. 201303 Guard Kit makes grinding jobs safe, easy. Includes 2 shields.



All-new No. 201391 Safety Return Device speeds up work safely.



Newly revised 192 page DeWalt Book helps you do the job from the start. Buy one from your dealer.

DEWALT POWER TOOLS

DEWALT, INC. LANCASTER, PENNA.

EXPORT OFFICE, TOWSON 4, M D.

IN CANADA: DEWALT CANADA LTD., BROCKVILLE, ONTARIO